

Test 3 Review : pp. 742-743

$$(7) \quad 16x^2 + 16y^2 - 16x + 24y - 3 = 0$$

$$(16x^2 - 16x) + (16y^2 + 24y) = 3$$

$$16\left(x^2 - x + \frac{1}{4}\right) + 16\left(y^2 + \frac{24}{16}y + \frac{9}{16}\right) = 3 + 16\left(\frac{1}{4}\right) + 16\left(\frac{9}{16}\right)$$

$$\begin{array}{c} \wedge \\ -\frac{1}{2} + -\frac{1}{2} = -1 \end{array}$$

$$\left(-\frac{1}{2}\right) \cdot \left(-\frac{1}{2}\right) = \frac{1}{4}$$

$$\begin{array}{c} \frac{3}{2} \\ \wedge \\ \frac{3}{4} + \frac{3}{4} = \frac{3}{2} \end{array}$$

$$\left(\frac{3}{4}\right) \left(\frac{3}{4}\right) = \frac{9}{16}$$

$$16\left(x - \frac{1}{2}\right)^2 + 16\left(y + \frac{3}{4}\right)^2 = 16$$

Divide by 16

$$\frac{\left(x - \frac{1}{2}\right)^2}{1} + \frac{\left(y + \frac{3}{4}\right)^2}{1} = 1$$

#7 Conic is Ellipse (Circle)

Center $(h = \frac{1}{2}, k = -\frac{3}{4})$

Focus = $(h \pm c, k) = (h \pm 0, k) = (\frac{1}{2}, -\frac{3}{4})$

$$a^2 = 1 \quad b^2 = 1$$

$$a^2 = b^2 + c^2 \Rightarrow 1 = 1 + c^2 \Rightarrow c = 0$$

Vertex: $(h \pm a, k) = (\frac{1}{2} \pm 1, -\frac{3}{4})$

$$e = \text{eccentricity} = \frac{c}{a} = \frac{0}{1} = 0$$

$$\# 9 \quad 3x^2 - 2y^2 + 24x + 12y + 24 = 0$$

$$(3x^2 + 24x) + (-2y^2 + 12y) = -24$$

$$3(x^2 + 8x + 16) - 2(y^2 - 6y + 9) = -24$$

$\begin{array}{l} \wedge \\ 4 + 4 = 8 \\ (4)(4) = 16 \end{array}$

$\begin{array}{l} \wedge \\ -3 + -3 = -6 \\ (-3)(-3) = 9 \end{array}$

$\begin{array}{l} + 3(16) \\ + (-2)(9) \end{array}$

$$3(x+4)^2 - 2(y-3)^2 = 6$$

Divide by 6

$$\frac{(x+4)^2}{2} - \frac{(y-3)^2}{3} = \underline{1}$$

Conic: Hyperbola; branches opens left and right

$$a^2 = 2$$

$$b^2 = 3$$

#9

~~$$a^2 = b^2 + c^2$$
$$3 = 2 + c^2$$
$$c^2 = 1$$
$$c = 1$$~~

$$c^2 = a^2 + b^2$$

$$c^2 = 2 + 3$$

$$c = \sqrt{5}$$


$$a = \sqrt{2} = 1.4$$
$$b = \sqrt{3} = 1.7$$

Center $(h = -4, k = +3)$

Focus: $(h \pm c, k) = (-4 \pm \sqrt{5}, 3)$

Vertex: $(h \pm a, k) = (-4 \pm \sqrt{2}, 3)$


$$e = \frac{c}{a} = \frac{\sqrt{5}}{2}$$



(15)

$$\text{Vertex} = (0, 2)$$

$$\text{Directrix} : x = -3$$



Find equation.

$$V = (h, k) = (0, 2)$$

p = distance from vertex to directrix

$$(y - k)^2 = 4p(x - h)$$

$$(y - 2)^2 = 4(3)(x - 0)$$

$$(y - 2)^2 = 12x$$

(17)


Center $(0, 0)$

$F(5, 0)$

$V(7, 0)$

Find equation of ellipse

$a = 7 =$ distance from
center to vertex



$c = 5 =$ distance from center
to focus

For ellipse:

$$a^2 = b^2 + c^2$$

$$7^2 = b^2 + 5^2$$

$$b^2 = 24$$

$$b = \sqrt{24}$$

$$\frac{(x-h)^2}{a^2} + \frac{(y-k)^2}{b^2} = 1$$


#17

$$\frac{(x-0)^2}{49} + \frac{(y-0)^2}{24} = 1$$

Answer

(19) Vertices: $(3, 1)$ $(3, 7)$

$$e = \frac{2}{3} = \frac{c}{a}$$



$$a = 3$$

$$\frac{c}{a} = \frac{2}{3} \Rightarrow c = 2$$

$$a^2 = b^2 + c^2$$

$$9 = b^2 + 4$$

$$b^2 = 5$$

$$\frac{(x-h)^2}{b^2} + \frac{(y-k)^2}{a^2} = 1 \Leftrightarrow \frac{(x-3)^2}{5} + \frac{(y-4)^2}{9} = 1$$

(27)

$$x = 1 + 8t \quad (1)$$

$$y = 3 - 4t \quad (2)$$

Find rectangular equ.

$$(1) \quad x = 1 + 8t$$

$$x - 1 = 8t$$

$$t = \frac{x-1}{8}$$

$$(2) \quad y = 3 - 4t$$

$$y = 3 - 4\left(\frac{x-1}{8}\right)$$

Rectangular Equ.

$$\textcircled{29} \quad x = e^t - 1 \quad \textcircled{1}$$

$$y = e^{3t} \quad \textcircled{2}$$

Find Rectangular
Equ.

$$\textcircled{1} \quad x = e^t - 1$$

$$e^t = x + 1$$

$$\textcircled{2} \quad y = e^{3t} = (e^t)^3 = (x+1)^3$$

$$y = (x+1)^3 \quad \text{Rect. Equ.}$$

$$\textcircled{31} \quad x = 6 \cos \theta \quad \textcircled{1}$$

$$y = 6 \sin \theta \quad \textcircled{2}$$

Find Rect. Equ.

$$\textcircled{1} \quad \cos \theta = \frac{x}{6}$$

$$\textcircled{2} \quad \sin \theta = \frac{y}{6}$$

From Trig. : $\cos^2 \theta + \sin^2 \theta = 1$

$$\left(\frac{x}{6}\right)^2 + \left(\frac{y}{6}\right)^2 = 1$$

$$\frac{x^2}{36} + \frac{y^2}{36} = 1$$

$$\textcircled{33} \quad x = 2 + \sec \theta \quad \textcircled{1}$$

$$y = 3 + \tan \theta \quad \textcircled{2}$$

$$\textcircled{1} \quad \sec \theta = x - 2$$

$$\textcircled{2} \quad \tan \theta = y - 3$$

$$\text{From Trig:} \quad 1 + \tan^2 \theta = \sec^2 \theta$$

$$1 + (y - 3)^2 = (x - 2)^2$$

Rect.
Equ.

(35)

$$y = 4x + 3$$

Find parametric Equ.

Let $x = t$

$$y = 4t + 3$$

Let $x = t + 4$

$$y = 4(t + 4) + 3$$

$$(39) \quad x = 2 + 5t, \quad y = 1 - 4t \quad \text{Find } y' = \frac{dy}{dx}$$

$$\text{Chain rule: } y' = \frac{dy}{dx} = \frac{dy/dt}{dx/dt}$$

$$= \frac{\cancel{1}}{\cancel{+5}} = -\frac{4}{5}$$

$$y'' = \frac{\frac{d}{dt}[y']}{dx/dt} = \frac{\frac{d}{dt}\left[-\frac{4}{5}\right]}{5} = \frac{0}{5} = 0$$

$$\textcircled{41} \quad x = \frac{1}{t} \quad \textcircled{1}$$

$$y = 2t + 3 \quad \textcircled{2}$$

$$\textcircled{1} \quad t = \frac{1}{x}$$

$$\textcircled{2} \quad y = 2\left(\frac{1}{x}\right) + 3 = \frac{2}{x} + 3$$

$$\textcircled{43} \quad x = 5 + \cos \theta$$

$$y = 3 + 4 \sin \theta$$

$$\text{Find } y' = \frac{dy}{dx}$$

$$\text{Chain Rule: } y' = \frac{dy/d\theta}{dx/d\theta} = \frac{4 \cos \theta}{-\sin \theta} = -4 \cot \theta$$

$$y'' = \frac{\frac{d}{d\theta}[y']}{dx/d\theta} = \frac{-4[-(\csc^2 \theta)]}{-\sin \theta} = \frac{4 \csc^2 \theta}{-\sin \theta}$$

$\textcircled{49}$ ✓

$\textcircled{51}$ ✓

~~$\textcircled{57}$~~

$$(59) \quad \begin{matrix} r & \theta \\ (5, & 3\pi/2) \end{matrix}$$

Find Rectangular

$$x = r \cos \theta$$

$$y = r \sin \theta$$

$$x = 5 \cos 3\pi/2 = 5(0) = 0$$

$$y = 5 \sin 3\pi/2 = 5(-1) = -5$$

$(0, -5)$ Rectangular

(61) $(\sqrt{3}, 1.56)$ Find Rectangular

$$x = r \cos \theta = \sqrt{3} \cos(1.56)$$

$$y = r \sin \theta = \sqrt{3} \sin(1.56)$$

(63) $(4^x, -\frac{y}{4})$ Find Polar

$$x^2 + y^2 = r^2$$

$$\tan \theta = \frac{y}{x}$$

$$(4)^2 + (-4)^2 = r^2 \Rightarrow r^2 = 32 \Rightarrow r = \sqrt{32}$$

$$\tan \theta = \frac{-4}{4} = -1$$

$$\theta = \tan^{-1}(-1) = \frac{3\pi}{4}$$

$$\text{Polar: } (\sqrt{32}, \frac{3\pi}{4})$$

$$\textcircled{65} \quad \begin{matrix} x, y \\ (-1, 3) \end{matrix}$$

Find Polar

$$x^2 + y^2 = r^2$$

$$(-1)^2 + (3)^2 = r^2$$

$$r^2 = 10$$

$$r = \sqrt{10}$$

$$\tan \theta = y/x$$

$$\theta = \tan^{-1}\left(\frac{3}{-1}\right) = -1.25$$

$$(r, \theta) = (\sqrt{10}, -1.25)$$

~~67~~ ✓

(67)


$$x^2 + y^2 = 25$$

Find Polar

$$r^2 = 25$$

$$r = 5$$

Polar Equ.



$$(71) \quad x^2 = 4y$$

$$(r \cos \theta)^2 = 4(r \sin \theta)$$

$$r^2 \cdot \cos^2 \theta = 4r \sin \theta$$

$$r \cos^2 \theta = 4 \sin \theta$$

$$r = \frac{4 \sin \theta}{\cos^2 \theta} \quad \text{Polar Equ.}$$

$$(73) \quad r = 3 \cos \theta$$

Find Rectangular

$$r \neq \sqrt{x^2 + y^2}$$

$$r \cdot r = 3 \cdot r \cos \theta$$

$$r^2 = 3 \cdot r \cos \theta$$

$$x^2 + y^2 = 3x$$

Rect. Equ.

(77) ✓

(79) Graph

$$r = \frac{3}{\cos(\theta - \pi/4)} = 3 / \cos(\theta - \pi/4)$$

(81) Graph

$$r = 4 \cos 2\theta \cdot \sec \theta = 4 \cos(2\theta) \sec(\theta)$$

$$(77) \quad r = -2 \sec \theta \tan \theta$$

Find rectangular

$$r = -2 \cdot \frac{1}{\cos \theta} \cdot \frac{\sin \theta}{\cos \theta}$$

$$r = -\frac{2 \sin \theta}{\cos^2 \theta}$$

$$r = \frac{-2 \cdot \sin \theta \cdot r^2}{r^2 \cos^2 \theta} = \frac{-2r \cdot r \sin \theta}{x^2}$$

$$r = \frac{-2r \cdot y}{x^2}$$

$$1 = \frac{-2y}{x^2} \quad \Leftrightarrow \quad x^2 = -2y \quad \text{Rectangular.}$$

$$(99) \quad r = 3\cos 5\theta$$

Find area of one petal

$$A = \frac{1}{2} \int_{\alpha}^{\beta} r^2 d\theta =$$

To find where each petal starts and ends:

$$\text{set } r = 0$$

$$3\cos 5\theta = 0$$

$$\cos 5\theta = 0$$

$$\cos(\pi/2) = 0 \quad ; \quad \cos(3\pi/2) = 0 \quad ; \quad \dots$$

$$5\theta = \pi/2 \quad ; \quad 3\pi/2 \quad ; \quad 5\pi/2 \quad ; \quad \dots$$

$$\theta = \pi/10, \quad 3\pi/10, \quad \dots$$

$$(97) \quad A = \frac{1}{2} \int_{\pi/10}^{3\pi/10} [3 \cos 5\theta]^2 d\theta$$

$$A = \frac{1}{2} (2.82743301) = 1.4137166$$

~~(98)~~ ✓

$$(99) \quad r = 2 + \cos \theta$$

$$A = \frac{1}{2} \int_0^{2\pi} r^2 d\theta = \frac{1}{2} \int_0^{2\pi} (2 + \cos \theta)^2 d\theta$$
$$= 14.137166925$$

$$\textcircled{113} \quad r = \frac{6}{1 - \sin\theta} = \frac{ed}{1 - e \sin\theta}$$

$$e = 1$$

$$ed = 6$$

$$1d = 6$$

$$d = 6$$

$$\text{Graph : } r = 6 / (1 - \sin(\theta))$$

(115)

$$r = \frac{6}{3 + 2\cos\theta}$$

$$r = \frac{2}{1 + \frac{2}{3}\cos\theta} = \frac{ed}{1 + e\cos\theta}$$

$$e = \frac{2}{3}$$

$$ed = 2$$

$$\frac{2}{3}d = 2$$

$$d = 3$$

Graph : $r = 6 / (3 + 2\cos(\theta))$

$$(117) \quad r = \frac{4}{2 - 3 \sin \theta}$$

$$r = \frac{2}{1 - \frac{3}{2} \sin \theta}$$

$$e = \frac{3}{2}$$

$$ed = 2$$

$$\frac{3}{2}d = 2$$


$$d = 2 \cdot \frac{2}{3} = \cancel{2} \frac{4}{3}$$

(119)

Parabola

$$e = 1$$

$$x = 4$$



$$r = \frac{ed}{1 + e \cos \theta}$$

$$d = 4$$


$$r = \frac{(1)(4)}{1 + 1 \cos \theta} = \frac{4}{1 + \cos \theta}$$

(121)

Hyperbola

$$e = 3$$

$$\text{Dir: } Y = 3$$



Directrix is above the pole and horizontal.

$$d = 3$$

$$r = \frac{ed}{1 + e \sin \theta}$$

$$r = \frac{3(3)}{1 + 3 \sin \theta} = \frac{9}{1 + 3 \sin \theta}$$